



## Hybrid hydrogels by the co-assembly of chitosan with phospholipids

**Shekarforoush, Elhamalsadat; Mendes, Ana Carina Loureiro; Engwer, Christoph; Goycoolea, Francisco; Chronakis, Ioannis S.**

*Publication date:*  
2017

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Shekarforoush, E., Mendes, A. C. L., Engwer, C., Goycoolea, F., & Chronakis, I. S. (2017). *Hybrid hydrogels by the co-assembly of chitosan with phospholipids*. Abstract from 11th Annual European Rheology Conference, Copenhagen, Denmark.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

## Hybrid hydrogels by the co-assembly of chitosan with phospholipids

Elhamalsadat Shekarforoush<sup>1</sup>, Ana C. Mendes<sup>1</sup>, Christoph Engwer<sup>2</sup>, Francisco M. Goycoolea<sup>2</sup>, Ioannis S. Chronakis<sup>1</sup>

<sup>1</sup>*Nano-BioScience Research Group, DTU-Food, Technical University of Denmark, B227, 2800 Kgs. Lyngby, Denmark* <sup>2</sup>*Institute for Biology and Biotechnology of Plants (IBBP), Westfälische Wilhelms-Universität Münster, Schlossgarten 3, 48149 Münster, Germany*

Chitosan's (Ch) and Phospholipids (P) have been considered attractive biomolecules, due its set of remarkable biological properties and have been used as building blocks to fabricate functional nano-bio structures (e.g. nanoparticles, capsules/liposomes, emulsions and organogels). At this study we have developed hybrid hydrogels by the co-assembly of chitosan with phospholipid self-assembled particles [1]. The effect of phospholipid content on the morphological and physic-chemical properties of the Ch/P hydrogels was evaluated by Scanning Electron Microscopy (SEM), Dynamic Light Scatering (DLS), Rheology and swelling index measurements.

It was observed that the lower concentration of phospholipids (0.5%.wt/v) enables faster hydrogel network formation, with a lower elastic modulus, than the Ch/P ratios with higher phospholipid content. Morphologically, the internal structures of Ch/P hybrid hydrogels was found to contain nanopores that facilitates the penetration of water and swelling, which tend to slightly increase with the increase of phospholipid content. The use of biocompatible materials, such as chitosan and phospholipids, to produce Ch/P hybrid hydrogels in mild conditions, suggest their potential to be used within life sciences applications.

### References:

[1] Mendes AC, Shekarforoush E, Engwer C, Beeren S, Gorzelanny C, Goycoolea FM., Chronakis IS, (2016), Co-assembly of chitosan and phospholipids into hybrid hydrogels, Pure and Applied Chemistry, *In press*.